



# Safety Data Sheet

## Draftec<sup>®</sup> Beer Line Cleaner

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

---

**Product Name:** Draftec<sup>®</sup> Beer Line Cleaner

**Synonyms/Generic Names:** Chelated Sodium Hydroxide Solution

**Product Use:** Draught Line Caustic Cleaner

**Manufacturer:** Columbus Chemical Industries, Inc.  
N4335 Temkin Rd.  
Columbus, WI 53925

**Manufactured for:** Applied Cleaning Technologies, Inc.  
5815 N. 82<sup>nd</sup> Street  
Scottsdale, AZ 85250

**For More Information Call:** 888-226-8228 (Monday-Friday 8:00-4:00)

**In Case of Emergency Call:** CHEMTREC 800-424-9300 or 703-527-3887 (24 Hours/Day, 7 Days/Week)

---

### 2. HAZARDS IDENTIFICATION

---

**OSHA Hazards:** Corrosive

**Target Organs:** Kidney, Liver, Eyes, Skin, Mucous membranes, Respiratory system, Cardiovascular system

**Signal Word:** Danger

**Pictograms:**



**GHS Classification:**

Acute toxicity, Oral	Category 5
Skin corrosion	Category 1A
Serious eye damage	Category 1
Acute aquatic toxicity	Category 3
Chronic aquatic toxicity	Category 3

**GHS Label Elements, including precautionary statements:**

**Hazard Statements:**

H314+H318	Causes severe skin burns and serious eye damage.
H412	Harmful to aquatic life with long lasting effects.

**Precautionary Statements:**

P260	Do not breathe dust or mists.
P264	Wash hands thoroughly after handling.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor/physician.
P363	Wash contaminated clothing before reuse.
P501	Dispose of contents/container to an approved waste disposal plant.

**Potential Health Effects**

<b>Eyes</b>	Causes severe eye burns.
<b>Inhalation</b>	May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract.
<b>Skin</b>	May be harmful if absorbed through skin. Causes skin burns.
<b>Ingestion</b>	May be harmful if swallowed.

**NFPA Ratings**

<b>Health</b>	3
<b>Flammability</b>	0
<b>Reactivity</b>	1
<b>Specific hazard</b>	Not Available

**HMIS Ratings**

<b>Health</b>	3
<b>Fire</b>	0
<b>Reactivity</b>	1
<b>Personal</b>	D

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Component	Weight %	CAS #	EINECS# / ELINCS#	Formula	Molecular Weight
Sodium Hydroxide	26-98	1310-73-2	215-185-5	NaOH	40.00 g/mol
Sodium Gluconate	<10	527-07-1	208-407-7	NaC <sub>6</sub> H <sub>11</sub> O <sub>7</sub>	218.14 g/mol
Non-Ionic Surfactant	<10	73279-23-8	Not Available	Not Available	Not Available
Proprietary Organic Phosphonate	<10	Proprietary	Proprietary	Proprietary	Proprietary
Proprietary Surfactant Blend	<30	Proprietary	Proprietary	Proprietary	Proprietary
Water and other components*	Balance	7732-18-5	231-791-2	H <sub>2</sub> O	18.00 g/mol

\*Other components are present at less than 1% concentration

**4. FIRST-AID MEASURES**

<b>Eyes</b>	Rinse with plenty of water for at least 15 minutes and seek medical attention immediately.
<b>Inhalation</b>	Move casualty to fresh air and keep at rest. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention immediately.
<b>Skin</b>	Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing and wash using soap. Get medical attention immediately.
<b>Ingestion</b>	<b>Do Not Induce Vomiting!</b> Never give anything by mouth to an unconscious person. If conscious, wash out mouth with water. Get medical attention immediately.

## 5. FIRE-FIGHTING MEASURES

<b>Suitable (and unsuitable) extinguishing media</b>	Product is not flammable. Use appropriate media for adjacent fire. Cool unopened containers with water.
<b>Special protective equipment and precautions for firefighters</b>	Wear self-contained, approved breathing apparatus and full protective clothing, including eye protection and boots.
<b>Specific hazards arising from the chemical</b>	Emits toxic fumes (oxides of sodium, phosphorus, and carbon, phosphine) under fire conditions. (See also Stability and Reactivity section).

## 6. ACCIDENTAL RELEASE MEASURES

<b>Personal precautions, protective equipment and emergency procedures</b>	See section 8 for recommendations on the use of personal protective equipment.
<b>Environmental precautions</b>	Prevent spillage from entering drains. Any release to the environment may be subject to federal/national or local reporting requirements.
<b>Methods and materials for containment and cleaning up</b>	Absorb spill with noncombustible absorbent material, then place in a suitable container for disposal. Clean surfaces thoroughly with water to remove residual contamination. Dispose of all waste and cleanup materials in accordance with regulations.

## 7. HANDLING AND STORAGE

### Precautions for safe handling

See section 8 for recommendations on the use of personal protective equipment. Use with adequate ventilation. Wash thoroughly after using. Keep container closed when not in use. Avoid formation of aerosols.

### Conditions for safe storage, including any incompatibilities

Store in cool, dry well ventilated area. Keep away from incompatible materials (see section 10 for incompatibilities).

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Occupational exposure controls:

Component	Exposure Limits	Basis	Entity
Sodium Hydroxide	2 mg/m <sup>3</sup>	CEIL	ACGIH
	2 mg/m <sup>3</sup>	PEL	OSHA
	2 mg/m <sup>3</sup>	CEIL	NIOSH
<b>Proprietary Surfactant Blend</b>			
Component A	10 mg/m <sup>3</sup>	WEEL	AIHA
Component B	1 mg/m <sup>3</sup>	TLV	ACGIH
	3 mg/m <sup>3</sup>	STEL	ACGIH
	1 mg/m <sup>3</sup>	PEL	OSHA
	1 mg/m <sup>3</sup>	REL	NIOSH
	3 mg/m <sup>3</sup>	STEL	NIOSH
	1000 mg/m <sup>3</sup>	IDLH	OSHA
Component C	2 ppm	CEIL	ACGIH
	2.98 mg/m <sup>3</sup>		

	5 ppm 7 mg/m <sup>3</sup>	CEIL	OSHA
	5 ppm 7 mg/m <sup>3</sup>	CEIL	NIOSH
	50 ppm	IDLH	OSHA

TWA: Time Weighted Average over 8 hours of work.

TLV: Threshold Limit Value over 8 hours of work.

REL: Recommended Exposure Limit

PEL: Permissible Exposure Limit

STEL: Short Term Exposure Limit during x minutes.

IDLH: Immediately Dangerous to Life or Health

WEEL: Workplace Environmental Exposure Levels

CEIL: Ceiling

### Personal Protection

<b>Eyes</b>	Wear chemical safety glasses or goggles, and face shield.
<b>Inhalation</b>	Provide local exhaust, preferably mechanical. If exposure levels are excessive, use an approved respirator.
<b>Skin</b>	Wear nitrile or rubber gloves, and full body covering. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.
<b>Other</b>	Not Available

### Other Recommendations

Provide eyewash stations, quick-drench showers and washing facilities accessible to areas of use and handling.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance (physical state, color, etc.)	Clear liquid (may be colorless or blue).
Odor	Not Available
Odor threshold	Not Available
pH	14
Melting point/freezing point	Not Available
Initial boiling point and boiling range	Not Available
Flash point	Not Flammable
Evaporation rate	Not Available
Flammability (solid, gas)	Not Flammable
Upper/lower flammability or explosive limit	Not Explosive
Vapor pressure	Not Available
Vapor density	Not Available
Density	1.3038 (water = 1)
Solubility (ies)	Not Available
Partition coefficient: n-octanol/water	Not Available
Auto-ignition temperature	Not Available
Decomposition temperature	Not Available

## 10. STABILITY AND REACTIVITY

<b>Chemical Stability</b>	Stable
<b>Possibility of Hazardous Reactions</b>	Will not occur.
<b>Conditions to Avoid</b>	Not Available
<b>Incompatible Materials</b>	Acids, organic materials, chlorinated solvents, aluminum, phosphorus, zinc, tin.
<b>Hazardous Decomposition Products</b>	

---

## 11. TOXICOLOGICAL INFORMATION

---

### Acute Toxicity

#### *Sodium Hydroxide*

<b>Skin</b>	Not Available
<b>Eyes</b>	Not Available
<b>Respiratory</b>	Not Available
<b>Ingestion</b>	Not Available

#### *Proprietary Surfactant Blend*

<b>Skin</b>	LD50 Dermal – rabbit - >6310 mg/kg
<b>Eyes</b>	Not Available
<b>Respiratory</b>	Not Available
<b>Ingestion</b>	LD50 Oral – rat – 2910 mg/kg

### Carcinogenicity

<b>IARC</b>	No components of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
<b>ACGIH</b>	No components of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
<b>NTP</b>	No components of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
<b>OSHA</b>	No components of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

### Signs & Symptoms of Exposure

<b>Skin</b>	Extent of damage depends on duration of contact. Burning, itching, redness, inflammation or swelling of exposed tissues.
<b>Eyes</b>	Eye burns, watering eyes.
<b>Respiratory</b>	Burning, choking, coughing, wheezing, laryngitis, shortness of breath, headache, nausea.
<b>Ingestion</b>	Burning, choking, nausea, vomiting, severe pain.

<b>Chronic Toxicity</b>	Not Available
<b>Teratogenicity</b>	Not Available
<b>Mutagenicity</b>	Not Available
<b>Embryotoxicity</b>	Not Available
<b>Specific Target Organ Toxicity</b>	Not Available
<b>Reproductive Toxicity</b>	Not Available
<b>Respiratory/Skin Sensitization</b>	Not Available

---

## 12. ECOLOGICAL INFORMATION

---

### Ecotoxicity

#### *Sodium Hydroxide*

<b>Aquatic Vertebrate</b>	Not Available
<b>Aquatic Invertebrate</b>	Not Available
<b>Terrestrial</b>	Not Available

#### *Proprietary Surfactant Blend*

<b>Aquatic Vertebrate</b>	NOEC – Oncorhynchus mykiss – 330 mg/l – 96 hr
<b>Aquatic Invertebrate</b>	EC50 – Daphnia magna – 297 mg/l – 48 hr NOEC – Daphnia magna – 125 mg/l – 48 hr
<b>Terrestrial</b>	EC50 – algae – 12.4 mg/l – 96 hr

<b>Persistence and Degradability</b>	Not Available
<b>Bioaccumulative Potential</b>	Not Available
<b>Mobility in Soil</b>	Not Available
<b>PBT and vPvB Assessment</b>	Not Available
<b>Other Adverse Effects</b>	Not Available

---

### 13. DISPOSAL CONSIDERATIONS

---

<b>Waste Residues</b>	Users should review their operations in terms of the applicable federal/national or local regulations and consult with appropriate regulatory agencies if necessary before disposing of waste product or residues.
<b>Product Containers</b>	Users should review their operations in terms of the applicable federal/national or local regulations and consult with appropriate regulatory agencies if necessary before disposing of waste product container.

The information offered in section 13 is for the product as shipped. Use and/or alterations to the product may significantly change the characteristics of the material and alter the waste classification and proper disposal methods.

---

### 14. TRANSPORTATION INFORMATION

---

US DOT	UN1760, Corrosive liquids, n.o.s., (sodium hydroxide), 8, pg II
TDG	UN1760, CORROSIVE LIQUIDS, N.O.S., (SODIUM HYDROXIDE), 8, PG II
IMDG	UN1760, CORROSIVE LIQUIDS, N.O.S., (SODIUM HYDROXIDE), 8, PG II
Marine Pollutant	No
IATA/ICAO	UN1760, Corrosive liquids, n.o.s., (sodium hydroxide), 8, pg II

---

### 15. REGULATORY INFORMATION

---

TSCA Inventory Status	All ingredients are listed on the TSCA inventory.
DSCL (EEC)	All ingredients are listed on the DSCL inventory.
California Proposition 65	Not Listed
SARA 302	No SARA Hazard
SARA 304	No SARA Hazard
SARA 311	Acute Health Hazard
SARA 312	Acute Health Hazard
SARA 313	No SARA Hazard
WHMIS Canada	Class E: Corrosive material.

---

**16. OTHER INFORMATION**

---

Revision	Date
Revision 1	09/09/2014

Disclaimer: Applied Cleaning Technologies, Inc. believes that the information herein is factual but is not intended to be all inclusive. The information relates only to the specific material designated and does not relate to its use in combination with other materials or its use as to any particular process. Because safety standards and regulations are subject to change and because Applied Cleaning Technologies, Inc. has no continuing control over the material, those handling, storing or using the material should satisfy themselves that they have current information regarding the particular way the material is handled, stored or used and that the same is done in accordance with federal, state and local law. APPLIED CLEANING TECHNOLOGIES, INC. MAKES NO WARRANTY, EXPRESS OR IMPLIED, INCLUDING (WITHOUT LIMITATION) WARRANTIES WITH RESPECT TO THE COMPLETENESS OR CONTINUING ACCURACY OF THE INFORMATION CONTAINED HEREIN OR WITH RESPECT TO FITNESS FOR ANY PARTICULAR USE.